

**2015 Q1
NEW PRODUCTS**



SATA®

Lifetime Warranty



Master Tool Set & Tool Storge

09015
15PC. 3/4"DR. SOCKET SET
(METRIC)




- 10 - 12pt. Metric Sockets
30, 32, 34, 36, 38, 41, 46, 50, 55, 60mm
- 5 - Accessories
Quick-Release Ratchet
Sliding T-Bar
Extension Bars 4", 8"
Universal Joint

09523ME
14PC. 3/8"DR. SOCKET SET
(METRIC)



- 12 - 6pt. Metric Sockets
8, 9, 10, 11, 12, 13, 14,
15, 16, 17, 18, 19mm
- 2 - Accessories
Quick-Release Ratchet
Wobble Extension Bar 3"

09902ME
2 PC. 3/8"DR. EXTRA LONG
EXTENSION SET



2 - Extra Long Extension Set 18", 24"

09917ME
193 PC. TOOL STORAGE AND TRAY SET

- 95107 - 7 Drawer Tool Trolley
- 09901 - Tray Set 66pc 1/4"Dr. Socket (Metric)
- 09902 - Tray Set 33pc 3/8"Dr. Socket (Metric)
- 09903 - Tray Set 27pc 1/2"Dr. Socket (Metric)
- 09905 - Tray Set 10pc Double Box End Wrench (Metric)
- 09906 - Tray Set 30pc Combination Wrench & Hex Key
- 09909 - Tray Set 5pc Adjustable Wrench and Pliers
- 09910 - Tray Set 8pc File
- 09913 - Tray Set 13pc Screwdriver



• Tray set and tool trolley are packed separately

Socket & Drive Tool

12991ME 3/8"DR. ROTO RATCHET



225 mm

- 72 tooth round shaped head
- Swivel head rotates a total of 270 degrees to get to fasteners from any angle
- Made of premium chrome vanadium steel
- Bright, full polish chrome finish

ANSI B107.10M
DIN 3122

13991ME 1/2"DR. ROTO RATCHET



280 mm

- 72 tooth round shaped head
- Swivel head rotates a total of 270 degrees to get to fasteners from any angle
- Made of premium chrome vanadium steel
- Bright, full polish chrome finish

ANSI B107.10M
DIN 3122

16901 3/4"DR. QUICK-RELEASE TEARDROP RATCHET



510 mm

- Made of premium chrome vanadium steel
- Bright, full polish chrome finish
- Convenient single hand direction change switch
- Quick-release capability to easily eject an engaged socket even under slippery conditions

ANSI B107.10M
DIN 3122

17991 1"DR. QUICK-RELEASE TEARDROP RATCHET



650 mm

- Made of premium chrome vanadium steel
- Bright, full polish chrome finish
- Convenient single hand direction change switch
- Quick-release capability to easily eject an engaged socket even under slippery conditions

ANSI B107.10M
DIN 3122

11991ME 1/4" x 3/8"DR. DUAL DRIVE RATCHET



175 mm

- 72 tooth design
- Works with 1/4" drive and 3/8" drive sockets and accessories
- Made of premium chrome vanadium steel
- Bright, full polish chrome finish

ANSI B107.10M
DIN 3122

13992ME 1/2"DR. EXTENDABLE RATCHET



300~440 mm

- 72 tooth design
- Extends from 300 to 440mm to get to hard-to-reach nuts and bolts that standard ratchets cannot
- 6 locking positions
- Made of premium chrome vanadium steel
- Bright, full polish chrome finish
- Quick-release capability to easily eject an engaged socket even under slippery conditions
- Cushion handle for comfort, oil and solvent resistant

ANSI B107.10M
DIN 3122

3/4"DR. EXTENSION BAR

Part No.	Size	L(mm)
16902	4"	100
16903	8"	200

Part No.	Size	L(mm)
16904	10"	400

ANSI B107.10M
DIN 3123



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

1"DR. EXTENSION BAR

Part No.	Size	L(mm)
17992	8"	100

Part No.	Size	L(mm)
17993	16"	400

ANSI B107.10M
DIN 3123



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

11910

1/4"DR. SLIDING T-BAR 4"

ANSI B107.10M
DIN 3122



100 mm

⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

12910

3/8"DR. SLIDING T-BAR 8"

ANSI B107.10M
DIN 3122



165 mm

⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

13910

1/2"DR. SLIDING T-BAR 10"

ANSI B107.10M
DIN 3122



250 mm

⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

16905

3/4"DR. SLIDING T-BAR 18"

ANSI B107.10M
DIN 3122



450 mm

⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

17994

1"DR. SLIDING T-BAR 22"

ANSI B107.10M
DIN 3122



550 mm

⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

13950

1/2"DR. SOCKET ADAPTOR 1/2"F x 3/4"M

ANSI B107.10M
DIN 3123



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

3/4"DR. SOCKET ADAPTOR

Part No.	F	M	Part No.	F	M
16908	3/4"	1/2"	16909	3/4"	1"

ANSI B107.10M
DIN 3123



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

17995

1"DR. SOCKET ADAPTOR 1"F x 3/4"M

ANSI B107.10M
DIN 3123



⚠ These sockets accessories should never be used on power drivers, pneumatic impact wrench and/or extenders.

11924

MAGNETIC PICK-UP TOOL



100~480 mm

- Long shaft gets in tight places
- Powerful magnets are fitted into the brass sleeve on these units

64102

FLEXIBLE MAGNETIC PICK-UP TOOL 400MM X 2 KG



400 mm

- Acetate handle for greater strength, durability and impact resistant
- Durable soft shank surface with chrome plating can be any shape for working in any kind of working place
- High-strength magnets effectively adsorb the dropping work piece

1/2"DR. TORX® BIT SOCKET



Part No.	Size	L(mm)	Part No.	Size	L(mm)
24101	T20	50	24106	T45	50
24102	T25	50	24107	T50	50
24103	T27	50	24108	T55	50
24104	T30	50	24109	T60	50
24105	T40	50			

- Professional, S2 material, full polish chrome finish
- Heat treated socket bases for durability and serviceability

⚠ These bit sockets should never be used on power drivers, pneumatic impact wrench and/or extenders. Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

1/2"DR. HEX BIT SOCKET (METRIC)



Part No.	Size	L(mm)	Part No.	Size	L(mm)
24201	4mm	50	24206	10mm	50
24202	5mm	50	24207	12mm	50
24203	6mm	50	24208	14mm	50
24204	7mm	50	24209	17mm	50
24205	8mm	50			

- Professional, S2 material, full polish chrome finish
- Heat treated socket bases for durability and serviceability

⚠ These bit sockets should never be used on power drivers, pneumatic impact wrench and/or extenders. Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

1/2"DR. 100L TRIPLE SQUARE BIT SOCKET



Part No.	Size	L(mm)	Part No.	Size	L(mm)
25801	M5	100	25805	M12	100
25802	M6	100	25806	M14	100
25803	M8	100	25807	M16	100
25804	M10	100			

- Professional, S2 material, full polish chrome finish
- Heat treated socket bases for durability and serviceability

⚠ These bit sockets should never be used on power drivers, pneumatic impact wrench and/or extenders. Nature of this product is subject to wear and tear upon usage. Not covered under Lifetime Warranty.

3/4"DR. IMPACT ADAPTOR



Part No.	F	M	Part No.	F	M
34718	3/4"	1/2"	34721	3/4"	1"

- For use with impact drivers
- Manufactured from Chrome Molybdenum material for increased strength and greater impact resistance
- Manganese phosphate treatment for better corrosion protection

⚠ Eye protection must always be worn when using impact tool.

ANSI B107.2
DIN 3129

34731

1"DR. IMPACT ADAPTOR 1"F x 3/4"M



- For use with impact drivers
- Manufactured from Chrome Molybdenum material for increased strength and greater impact resistance
- Manganese phosphate treatment for better corrosion protection

⚠ Eye protection must always be worn when using impact tool.

ANSI B107.2
DIN 3129

3/4"DR. IMPACT EXTENSION BAR



Part No.	Size	L(mm)	Part No.	Size	L(mm)
34708	4"	100	34711	8"	200
34709	6"	150	34712	10"	250

- For use with impact drivers
- Manufactured from Chrome Molybdenum material for increased strength and greater impact resistance
- Manganese phosphate treatment for better corrosion protection

⚠ Eye protection must always be worn when using impact tool.

ANSI B107.2

1"DR. IMPACT EXTENSION BAR



Part No.	Size	L(mm)	Part No.	Size	L(mm)
34732	4"	100	34734	8"	200
34733	6"	150	34735	10"	250

- For use with impact drivers
- Manufactured from Chrome Molybdenum material for increased strength and greater impact resistance
- Manganese phosphate treatment for better corrosion protection

⚠ Eye protection must always be worn when using impact tool.

ANSI B107.2

09701

8PC. LONG ARM TORX® SET (TAMPER-PROOF)



T6, T7, T8, T9, T10, T15, T20, T25

09703

8PC. END CAP OIL FILTER WRENCH SET



6 - 3/8"Dr. End Cap Oil Filter Wrenches
65, 74, 76, 80, 90, 93mm
1 - 3/8"Dr. Quick-Release Ratchet
1 - 1/2"F x 3/8"M Socket Adaptor

- Specially designed wrench removes and installs hard-to-reach oil filters.
Caution: Do not use with power tools.

3 JAW GEAR PULLERS



Part No.	Size	L(mm)	Part No.	Size	L(mm)
90633	3"	125	90638	8"	325
90634	4"	155	90640	10"	340
90636	6"	240	90642	12"	385

- The shaft tip has gone through special heat treatment to increase durability
- Slip-resistant jaws design

97001ME

TUBE BENDER




- Fits tubing from 1/8" to 1/2" outside diameter
- Bends tubing up to 360 degrees
- Ideal for bending copper and brass tubing as well as brake lines
- One piece construction, made of die-cast aluminum alloys

⚠ Wear safety goggles.
Nature of this product is subject to wear and tear upon usage.
Not covered under Lifetime Warranty.

97002ME

T HANDLE TIRE REPAIR TOOL



- For steel belted radial tire
- For inserting plugging material into a tire puncture
- Includes five 4 inch heavy duty brown tire repair plugs

⚠ Nature of this product is subject to wear and tear upon usage.
Not covered under Lifetime Warranty.

97422

UNIVERSAL 3-JAW OIL FILTER WRENCH



Size
63-102mm

- Two-way action installs or removes filters
- Works with 1/2" and 3/8" drive tools
- Torque output increased by 10%

97422ME

UNIVERSAL 3-JAW OIL FILTER WRENCH, ROUND LEG



Size
63-120mm

- Removes all oil filters from 63 to 120mm (2-1/2" to 4-3/4") in diameter
- Works with 3/8" and 1/2" square drive tools
- Made from heat-treated carbon steel and finished with polish chrome
- Compact design allows better gripping in tight areas

97451ME

CHAIN WRENCH



Size
110mm

- Chain Length 44cm
- For removing oil filter up to 110mm diameter
- Bicycle type chain for superb gripping action
- Aluminum handle



Authorized Distributor:

